

# 2020 New Line-up



## MSZ-FT VGK

	SIZE 25	SIZE 35	SIZE 50
MSZ-FT VGK	○	○	○
MUZ-FT VGHZ	○	○	○

Wall mounted unit R32- DC Inverter Heat pump

**Hyper Heating**  
Single split only




New Built-in Wi-Fi adaptor



MUZ-FT\*\*VGHZ

**Exw Jul.20 MCP - TENTATIVE**

## 2020 New Line-up



### MSZ-FT VGK Features


- High efficiency **A+++/A++**
- WI-FI adaptor **MelCloud BUILT IN**
- **Hyper Heating** outdoor unit
- Operation range: down to -25°C
- Remote controller with **BACK LIGHT** display
- Horizontal and vertical louver
- Silver ionized air purifier filter




MUZ-FT\*\*VGHZ

# 2020 New Line-up

## MSZ-FT VGK




**NEW**



With Freeze-prevention heater

# 2020 New Line-up



## MSZ-FT VGK Features

### Specs (Tentative)

			MSZ-FT25VGK MUZ-FT25VGHZ	MSZ-FT35VGK MUZ-FT35VGHZ	MSZ-FT50VGK MUZ-FT50VGHZ	
COOL	CAPACITY[kW]		2.5	3.5	5.0	
		Min.	0.8	1.1	1.4	
		Max.	3.5	3.8	5.0	
	SEER		8.6	8.6	7.4	
	RANK		A+++	A+++	A++	
	SOUND	IN	Hi	44	45	48
HEAT	PRESSURE	IN	Hi	19	19	28
		OUT	SLo	49	52	52
		Min.	0.8	1.0	1.0	
		Max.(7°C)	6.0	6.6	7.8	
	Max.(-15°C)	3.5	4.3	5.0		
	Max.(-25°C)	2.9	3.3	3.6		
	P design H		3.2	4.0	5.0	
	SCOP		4.6	4.6	4.3	
	RANK		A++	A++	A+	
	SOUND	IN	Hi	49	51	52
	PRESSURE	IN	Hi	19	19	29
		OUT	SLo	51	55	56
IN-DOOR	DIMENSION(H*W*D) [mm]		280*838*229	280*838*229	280*838*229	
	WEIGHT[kg]		10	10	10	
OUT-DOOR	DIMENSION(H*W*D) [mm]		550*800*285	714*800*285	714*800*285	
	WEIGHT[kg]		36	40	40	
EXT.PIPE	PIPING		φ6.35/φ9.52	φ6.35/φ9.52	φ6.35/φ9.52	
	Max.LENGTH /HEIGHT		20m /12m	20m/12m	30m/15m	
OPERATION RANGE	COOL	[°C]	-10~46	-10~46	-10~46	
	HEAT	[°C]	-25~24	-25~24	-25~24	



MUZ-FT\*\*VGHZ